



No. C 751
2023

Self-declarations of environmental classification at Fass.se

Experiences from the reviewing process 2021

Authors: Eva Hallberg and Kajsa Boll

Project members: Eva Hallberg and Kajsa Boll



Authors: Kajsa Boll and Eva Hallberg

Report number C 751

ISBN 978-91-7883-486-0

Edition Only available as PDF for individual printing

© IVL Swedish Environmental Research Institute 2023

IVL Swedish Environmental Research Institute Ltd.

P.O Box 210 60, S-100 31 Stockholm, Sweden

Phone +46-(0)10-7886500 // www.ivl.se

This report has been reviewed and approved in accordance with IVL's audited and approved management system.

Preface

IVL acts as an independent and external reviewer of environmental information that pharmaceutical companies use for environmental classification of pharmaceutical products. This report describes the experiences from the review process in the year 2021.

Table of contents

Summary	5
Sammanfattning.....	6
1 Environmental classification of pharmaceuticals at Fass.se.....	7
1.1 Background.....	7
1.2 How the classifications are made.....	8
1.3 The guideline and the reviewing process.....	8
2 Experiences from the reviewing process during 2021	9
2.1 Statistics of the review process during 2021.....	9
2.2 Development of the environmental assessment	10
3 Results of the classification	11
3.1 Environmental risk assessments included in the statistics.....	11
3.2 Environmental classification of substances.....	11
3.3 Environmental risk.....	12
3.4 Potential to bioaccumulate	12
3.5 Persistence	13
4 Future outlook	14
5 Concluding remarks	14
6 References	15



Summary

Since 2005, Sweden has a unique environmental classification system for pharmaceutical substances. It is a self-declaration system where each pharmaceutical company is responsible for their own environmental information, which is published on the open web-based portal www.Fass.se. Prior to publication the environmental risk assessments are reviewed by IVL Swedish Environmental Research Institute (IVL) as an independent, external part. The present report describes the experiences from the review process during the year 2021. Data for the statistical analyses are gained both from the Fass.se database and from a spreadsheet that the audit team develops and uses to keep track of documents that have been reviewed or are under current review.

In 2021, 406 environmental risk assessments (ERAs) were sent in for review. 64% of the reviewed assessments received the comment no remarks and were recommended to be published, whereas the other 36% were either recommended to be corrected or needed to be corrected before publication. The number of unique substances that were published at Fass.se during 2021 was 394 (which is lower than 406, because several companies may send in documents for the same substance). Of these substances 50% were exempted from classification, 28% were classified regarding environmental risk, and 22% could not gain any classification due to lack of data.

The work of improving the review system is an on-going process. As a part of this work IVL performs studies and activities to increase the knowledge of pharmaceuticals in the environment.



Sammanfattning

Sedan 2005 har Sverige ett unikt system för miljöklassificering av läkemedel. Systemet bygger på självdeklaration, där varje läkemedelsföretag själva är ansvariga för miljöinformationen för sina substanser. Miljöklassificeringen publiceras på en web-baserad portal, [FASS Allmänhet - Start sida](#), som är öppen för allmänheten. Före publiceringen granskas miljödokumenten av IVL, som en oberoende extern part. Denna rapport beskriver erfarenheterna från granskningsarbetet under 2021. Data för de statistiska beräkningarna kommer dels från Fass-databasen och dels från det Excel-ark som granskarna använder sig av för att protokollföra vilka dokument som håller på att granskas och vilka som har granskats.

Under 2021 sändes 406 miljödokument till IVL för granskning 406. Av dessa rekommenderades 64 % direkt för publicering. De återstående 36 % blev antingen rekommenderade att genomföra en korrigerings eller behövde göra en korrigerings innan publicering. Antalet unika substanser som publicerades på Fass.se under 2021 var 394 (vilket är lägre än 406, eftersom flera företag kan sända in miljödokument för samma substans). 50 % av dem var undantagna klassificering, 28 % klassificerades med avseende på miljörisk och 22 % kunde inte klassificeras beroende på otillräckliga data.

Arbetet med att förbättra granskningsystemet är en pågående process. En del av detta arbete utgörs av studier och aktiviteter för att öka kunskapen om läkemedel i miljön.

1 Environmental classification of pharmaceuticals at Fass.se

1.1 Background

Pharmaceutical products are essential for health and wellbeing in our everyday life. Medicines provide enormous benefits, such as improvement in quality of life, and the demand will likely increase in the future due to a growing, ageing population, chronic/lifestyle diseases, emerging market expansion, and treatment- and technology advances. Unfortunately, benefits of the use of pharmaceuticals may come with an environmental downside. Therefore, pharmaceutical residues in the environment have become a prioritized area within environmental surveillance as well as within environmental risk assessment.

In 2005 environmental information was published at Fass.se to test a new model for classification, developed on the initiative by Lif - The Research-Based Pharmaceutical Industry in Sweden. The initiative was a response to an increasing public demand for environmental information on pharmaceuticals and an attempt to develop a model accepted both by Swedish stakeholders, but also by the global pharmaceutical industry. In 2010, environmental risk assessment had been conducted for all groups of pharmaceuticals (ATC codes) on the Swedish market.

The model was developed by a Swedish Working Group consisting of Lif, the Stockholm County council, the pharmacy chain Apoteket, the Swedish association of local authorities and regions (SKL) as well as the Swedish Medical Products Agency (MPA), in conjunction with the international pharmaceutical industry. Along with the implementation of the environmental classification system, IVL Swedish Environmental Research Institute (IVL) also runs projects with the aim to develop the system further.

The results from the classification are being presented at Fass.se, a web based pharmaceutical portal that includes information on all approved pharmaceuticals on the Swedish market. The information is accessible not only to experts, county councils and other purchasing actors, but open to the public as well. On the Swedish market, there are approximately 2034 active pharmaceutical ingredients (APIs) (MPA, October 2020, personal communication (S-E Hillvers and Marmar Nekoro)).

The environmental classification at Fass.se is a self-declaration system meaning that each pharmaceutical company is responsible for the environmental information published at Fass.se. Prior to publication the classifications are reviewed by IVL as an independent, external part to make sure that the classifications are based on a scientifically acceptable interpretation of the guidance for the pharmaceutical companies. The reviewing process ensures a common praxis for the implementation of the guideline among the different companies and feeds back experience from the self-declaration process to the system owners, Lif. At the same time, the review of the classifications informs the companies on the needs for the environmental risk assessments to be conducted according to the principles in the guideline (Lif 2012), in a scientifically acceptable way, thus supporting the quality and credibility of the system. The classifications are, according to the principles of the system, to be updated and reviewed every three years. In the reviewing process, issues in need for further investigation are continuously coming up. This is due to availability of

new data or knowledge in the field, as well as possibilities of comparisons across different pharmaceuticals with the same active ingredients. In order to keep its credibility, it is thus of outermost importance that the system is continuously reviewed and improved. The work on the review of the environmental risk assessments at Fass.se is conducted in close connection with related research studies, which form the bases for the development of the reviewing process.

The overall aim of the Fass-project during 2021 was to continue to develop and strengthen the Swedish environmental classification system in order to make it a powerful tool on a national level as well as to raise acceptance and interest on an international level. This included continued review of the companies' interpretation of the guideline, and in-depth discussions with Lif in cases where more guidance than the guideline contains was needed. It also included continued work with the earlier proposed model for environmental assessment of pharmaceutical products, mainly by improving the understanding of different stakeholder needs as basis for recommendations for further development and implementation of the model.

1.2 How the classifications are made

In the environmental classification of pharmaceuticals at Fass.se, the risk posed by the pharmaceuticals is differentiated in five different categories: insignificant risk, low risk, moderate risk, high risk and hazardous. In addition to the risk phrase, which concerns the risk of ecotoxicological effects, each substance is assigned hazard phrases for bioaccumulation and persistence. A substance can be exempted from classification, in accordance with the European Medicines Agency (EMA) Guideline (EMA 2006), if they are unlikely to result in significant risk to the environment, e.g. proteins, vitamins and electrolytes.

The environmental assessment at Fass.se is presented at two different levels. For the non-expert user there is a level with summary phrases describing the classifications regarding environmental risk, degradation and bioaccumulation, assigned to the substance. For the expert reader a second level includes all information that has been the basis for the self-declaration including a list of references to documents that have been used.

1.3 The guideline and the reviewing process

The guidelines to what environmental data that support and differentiate the classification steps were developed by the Lif-secretariat and the Lif Expert Group on Sustainable Development, including representatives from the industry, the Stockholm County council, the pharmacy chain Apoteket, SKL and MPA. After the deregulation of the pharmacy market in Sweden the pharmacy chain Apoteket has been replaced by the Swedish Pharmacy Association in the dialogue. The first guideline was published in 2007 (Lif 2007) and a revised document was presented in June 2012. A minor update of the guidance was done in 2021 and the latest version is now 2012 v 3.0.

Before publication of environmental data at Fass.se, the risk and hazard assessments are reviewed by IVL. IVL comments on the choice of classification phrase based on the supporting data and gives recommendations to Lif whether revision is needed by the company before publication. If revision is needed, the company is encouraged to send the risk assessment for another review before publication.



The review by IVL results in comments in four categories:

- **Major deviation** – deficiencies in the submitted material leads to an inaccurate classification of risk or/and hazard and needs to be changed before publication at Fass.se
- **Minor deviation** - deficiencies in the submitted material that does not lead to an inaccurate classification of risk or/and hazard but still needs to be changed before publication at Fass.se
- **Remarks** – minor deficiencies, correction is recommended (although not mandatory) to be in full compliance with guideline
- **No remarks** – no deficiencies found in the submitted material and the document is recommended for publication.

2 Experiences from the reviewing process during 2021

2.1 Statistics of the review process during 2021

The audit team at IVL use a spreadsheet called the “progression list” as a tool to keep track of documents that have been reviewed or are under current review. The data recorded in the “progression list” is saved over time and extends back to October 2009. The statistic calculations presented here are based on data in the “progression list” for year 2021.

The total number of reviews during 2021 was 406 (taking into account that a company may send in documents for the same substance several times) and the most common assessment from IVL was to give no remarks (64%). During 2021, 334 environmental risk assessments with unique substance/pharmaceutical company-combinations were submitted for review. The highest grade of comment that each company received for their risk assessments for a specific substance is illustrated in Figure 1. The majority (82%) of the environmental risk assessments got the comments “no remarks” or “remark”. The remaining 18% got a comment that needed to be corrected before publication. In total, risk assessments for 321 substances (lower than 334, since several companies may send in risk assessments for the same substance) were reviewed during 2021.




Figure 1: Distribution of the highest grade of recommendations that each company received for a specific substance that was sent in for review during 2021.

2.2 Development of the environmental assessment

Within the context as third-party reviewer, IVL also performs related studies to increase the knowledge of pharmaceuticals in the environment and to develop and improve the reviewing process.

The focus and awareness of the environmental consequences of pharmaceuticals is steadily increasing. So far much of the attention has been directed towards the environmental consequences of emissions of active pharmaceutical ingredients (API), both regarding emissions associated with residues reaching the environment subsequent to human ingestion and excrement, and emissions from production of the APIs. There is, however, a growing awareness that also other environmental aspects along the pharmaceutical life cycle should be considered, such as climate impacts, resource depletion and other local environmental impacts. A number of studies and strategies have been published highlighting the need for common models and criteria to assess, report, compare and evaluate the environmental impacts of pharmaceutical products for different applications, in order to be able to prioritize and promote actions to control and reduce the impacts.

As a response to this need of information, a work started with the objective to refine the risk assessment of antimicrobial substances. This is done in a separate ongoing project with an inclusion of PNEC-R calculations that specifically address the predicted no effect concentration of resistance as opposed to the ordinary PNEC-value which is based on ecotoxicological effects within the recipient.

3 Results of the classification

3.1 Environmental risk assessments included in the statistics

The statistics below are based on data from a document, generated by Lif, showing a snapshot of all the risk assessments that are published at Fass.se at the time the document is generated. The data is retrieved as close to the end of every year as possible in order to ease comparisons between each year's statistic calculations. The statistics include all the environmental risk assessments that had been published during 2021 and that could be viewed at Fass.se at 2022-02-03 (the date when the document was generated).

3.2 Environmental classification of substances

The total number of unique substances that was published at Fass.se during 2021 was 394, which corresponds to 419 environmental risk assessments. The larger number of risk assessments in comparison to the number of unique substances was due to the fact that one substance can be marketed and, thus, risk assessed by more than one company. 28% of the 394 unique substances were classified regarding environmental risk, 50% were exempted substances and another 22% were reviewed, but no classification could be made (either no data at all or not sufficient data). The distribution of the unique substances is illustrated in Figure 2.




Figure 2: Outcome in terms of environmental classification of substances at Fass.se (n = 394). The figure covers classification of environmental risk, i.e., not potential for degradation or bioaccumulation.

3.3 Environmental risk

The environmental risk phrase is based on the PEC/PNEC ratio (Predicted Environmental Concentration/Predicted No Effect Concentration) of the API. A classification of an insignificant risk means that the $PEC/PNEC \leq 0.1$; low risk: $0.1 < PEC/PNEC \leq 1$; moderate risk: $1 < PEC/PNEC \leq 10$ and high risk: $PEC/PNEC > 10$. When the $PEC/PNEC < 1$, but the substance is flagged as a potential PBT (Persistent, Bioaccumulative, and Toxic) or vPvB (very Persistent and very Bioaccumulative), the substance is classified as having hazardous environmental properties. Of the 110 substances (28%) classified according to environmental risk the vast majority were classified as posing an insignificant risk (88%), 5% were classified as low risk, 3% as moderate risk, 2% were classified as high risk and 2% was classified as being hazardous (Figure 3).

Two substances published during 2021 were classified as posing hazardous environmental properties: Bedakilin (medication for treatment of multi-resistant pulmonary tuberculosis, MDR-TB), and Dakomitinib (substance for the treatment of non-small cell lung cancer). Two substances published during 2021 were classified as posing high environmental risk: Ciprofloxacin (an antibiotic in the group fluoroquinolones) and Etinylestradiol (oral contraceptive pills). Three substances published during 2021 were classified as posing moderate environmental risk: Estradiol (hormone replacement therapies), Bensoylperoxid (a substance for acne treatment) and Terbinafin (treatment of fungal and yeast infections and pityriasis (tinea) versicolor).




Figure 3: Outcome of the environmental risk assessments of pharmaceuticals at Fass.se (n = 110).

3.4 Potential to bioaccumulate

Of the 394 unique substances published at Fass.se during 2021, 163 (41%) were assessed for bioaccumulation potential. For 33 substances (8%) data to make an assessment were not available and for 198 substances (50%) a hazard phrase was not assigned. The majority of the latter were exempted substances, for which an assessment of bioaccumulation potential was not made.

As shown in Figure 4, the vast majority of the substances with a classification of the bioaccumulation potential were assigned a hazard phrase indicating a low potential to bioaccumulate (93%). For pharmaceuticals, often designed to be hydrophilic to enhance transportation in the body, this is to be expected. Many substances do also undergo metabolism to more hydrophilic forms in the human body.




Figure 4: Outcome of the classification of bioaccumulation at Fass.se (n = 110).

3.5 Persistence

Of the 394 unique substances published at Fass.se during 2021, 113 substances were classified for degradation (29%), data for classification were lacking for 83 substances (21%) and for 198 substances (50%), of which the majority were exempted substances, no hazard phrase was assigned.

In the assessment of degradability, the majority of the substances classified for degradation were assigned the phrase indicating that the substance is potentially persistent (62%) (Figure 5). Substances are classified as degradable e.g. if they have passed a ready biodegradability test (e.g. OECD 301) or sufficiently low dissipation half-lives are achieved in the OECD 308 test. Slowly degradable substances show either inherent degradability (e.g. OECD 302); pass the criteria set up for the OECD 308 test or show significant biotic or abiotic degradation in other tests. However, a classification that the substance is potentially persistent does not necessarily mean that it cannot be degraded in the environment, but that lack of sufficient data result in the classification persistence or that persistence cannot be excluded. Substances within this category have failed a ready and/or inherent degradation test and/or the criteria proposed for the OECD 308 test. Substances within this category could also have been indicated to be potentially persistent, based on other standard or non-standard data.




Figure 5: Outcome of the classification of degradation at Fass.se for documents published during 2021 (n = 113).

4 Future outlook

During 2022 the Fass-project will continue to develop and strengthen the Swedish environmental classification system in order to make it a powerful tool on a national level and to raise acceptance and interest on an international level.

5 Concluding remarks

- The Fass-project has now been on-going for seventeen years and has resulted in a unique collection of environmental risk assessments for pharmaceutical substances, accessible to experts, county councils and other purchasing actors, as well as the public via the web-based portal www.Fass.se.
- IVL has given feedback to Lif regarding the system as such, both from a scientific perspective as well as from a quality assurance perspective, providing possibilities to evaluate and improve the system.
- In the review of the classifications IVL has informed the companies, via Lif, on the revision needs, in order for the environmental risk assessments to be conducted according to the principles in the guideline (Lif 2012), in a scientifically acceptable way, thus supporting the quality and credibility of the system.
- In November 2021 an updated version of the guidance was published – Guidance for pharmaceutical companies 2012 v 3.0.
- 406 risk assessments (pre-published) were checked in for review during 2021. 64% of these received no remarks and were recommended to be published; a large part of these were however substances exempted for classification. The remaining risk assessments received comments with recommendations for revisions.



- The work with improving the review process will continue with the aim to achieve a review process with no unnecessary delay in publication of the updated environmental risk assessments.
- The statistic calculations of the environmental risk assessments are based on data from a document, generated by Lif, showing a snapshot of all the risk assessments that are published at Fass.se at the time the document is generated. The statistics in this report include all the environmental risk assessments that have been published during 2021 and that could be viewed at Fass.se at 2022-02-03 (the date when the document was generated).
- Risk assessments for 394 unique substances were published at Fass.se during 2021. 28% of the unique substances (n = 110) were classified regarding environmental risk; 50% were exempted from classification and 17% were reviewed, but no classification could be made due to lack of data.
- A majority of the classified substances (80%) received the assessment insignificant risk. Two substances were classified as having hazardous environmental properties, three substances were classified with high environmental risk, and eight substances with moderate environmental risk.
- 41% of the unique substances (n = 163) were assessed for bioaccumulation potential. 93% of these were assigned a hazard phrase indicating low potential to bioaccumulate (i.e., BCF < 500 or log K_{ow} < 4, according to the Fass guideline (2012)).
- 29% of the unique substances (n = 113) were assessed for degradation. 62% of these were assigned a phrase indicating that the substance is potentially persistent.

6 References

European Medicines Agency (EMA) (2006). Committee for Medicinal Products for Human Use (CHMP); Guideline on the Environmental Risk Assessment of Medicinal Products for Human Use. 1 June 2006, Ref EMEA/CPMP/SWP/4447/00.

Lif (2012). Environmental classification of pharmaceuticals at www.Fass.se. Guidance for pharmaceutical companies 2012.

Lif (2007). Environmental classification of pharmaceuticals at www.Fass.se. Guidance for pharmaceutical companies 2007.

Medical Products Agency (MPA), (2015). "Fördjupad analys av olika handlingsalternativ för att nå etappmålet om miljöhänsyn i läkemedelslagstiftningen inom EU och internationellt", report at <https://www.lakemedelsverket.se/sv>



IVL Swedish Environmental Research Institute Ltd.
P.O. Box 210 60 // S-100 31 Stockholm // Sweden
Phone +46-(0)10-7886500 // www.ivl.se